




I'm not robot



Continue

6t9 vacuum tube full datasheet

Home -> Info Downloads -> Pipes If you like what I do, please consider making a donation. Notes: Construction refers to both the base size and envelope. H/F means the voltage and flow specifications of the heater or filament. F) th) and (H-K) - a heater cathode. Serial string configurations use numbers that are displayed in a light yellow background. The numbers displayed on a light blue background are cold-boiler tubes. The numbers displayed in red light are high-voltage sub-tractors. The numbers displayed in light of light are power rectifiers. Light green numbers are for battery-powered radios. Numbers may not be displayed if a combination of numbers - such as 6CG7/6FQ7 - is expected to be used as a browser search function (usually ctrl-F) to find them. NumberConstructionElectric/f flow descriptionUse RCA-00-A4-Prong S-14 5VDC250mAVapor-type detector RCA-01-A4-prong ST-14 5VDC250mADetector, Amplifier 0A27-pin Miniature T5-1/2 5B0 n/an/a voltage regulator150V regulator 0A3, 0A3A6-pin octagonal ST-12, T-9 4AJ n/a voltage regulator 75V regulator 0A4G6-pin octagonal ST-12 n/an/a Gas trioderelay tube 0A57-pin Miniature T5-1/20A5 n/an/a Switching 0B27-pin Miniature T5-1/2 55B0 n/an/a voltage regulator 108V regulator 0B3/VR906-pin octal ST-12, T-94AJ n/a voltage regulator90V regulator 0C27-pin Miniature T5-1/2 5B0 n/an/a Voltage regulator75V regulator 0C3, 0C3-A 6-pin octagonal ST-12, T94AJ n/an/a Voltage regulator 105V regulator 0D3, 0D3-A 6-pin octal ST-12, T94AJ n/an/a Voltage regulator 150V regulator 0E3/85A13-pin loctal T-9? n/an/a Voltage Regulator85V Regulator OG3/85A27-pin Miniature T5-1/2 n/an/a Voltage Regulator85V Regulator 0Y4, 0Y4G 5-pin Octal MT8G (0Y4) or T-7 (0Y4G) ?n/an/a Half-Wave Gas Rectifier OZ4/OZ4A (metal), OZ4G (glass)Octal, Metal MT8, Glass T-7 4R n/an/a Full-Wave Gas Rectifier (CC)car radios RCA-104-prong S-17 7.5V1.25A Power Amplifier Oscillator 1A37-pin Miniature T5-1/2 5AP 1.4V150mA HF Diode (H-K) RCA-1A4, 1A4-P4-Prong ST-12 4M2V60mAPentode (F)RF Amplifier 1A5G, 1A5GT7-pin Octal T-9 6X 1.4V50mA Power Pentode (F) RCA-1A66-prong ST-12 Metal 2.0V60mA Pentagrid Converter 1A7G, 1A7GTOctal T-9 7Z1.4V50mA Heptode or Pentagrid Converter (F) 1AB5Loctal T-95BF 1.2V130mAPentode (F)Mixer or RF Amplifier 1AC58-pin Subminiature T-3 8CP1.25VDC40mA Power Pentode 1AC67-pin Miniature T5-1/2 1.4VDC50mA Heptode Frequency Changer 1AD2ACompactron T-9 12GV 1.25V200mA High Voltage Rectifier (F) 1AD45-lead T2x3 1.25VDC100mA Subminiature Pentode 1AD58-lead Subminiature T-3 8CP1.25VDC40mA Sharp-Cutoff Pentode 1AE47-pin Miniature T5-1/2 6AR 1.25VDC100mA Sharp-Cutoff Pentode 1AF47-pin Miniature T5-1/2 6AU 1.4VDC25mA Pentode 1AF57-pin Miniature T5-1/2 6AU 1.4VDC25mA Diode and pentoid 1AG45-lead Subminiature T-2x3 1.25V40mA Pentode 1AG56-lead Subminicities T-2x3 1.25V30mA Diode and Pentode 1AH45-lead sub Miniature T-2x3 1.25V40mA Pentode 1AJ212-pin Compactron T-9 12EL1.25V200mA diode (F) 1AK45-lead subminicative T-2x3 1.25V20mA Kaheksanurkne T-12 3C1.25V200mA diod (F) 1AX29-pin Miniature T6-1/2 9Y 1.4V650mA kõrgepinge alalisvoolu (F) 1AY2, 1AY2A Special 2-pin T-91AY2A 1.25V200mA kõrgepinge alaldi (F) 1B4-P4-prong4M 2V60mARF võimendi pentoodi 1B5/25S6-prong6M 2V60mADuplex-diode Triode 1B7G, 1B7GT * oktaal T-97Z1.4V100mA Pentagrid Converter (F) 1B63B n/an/a ? 1BC2A, 1BC2B9-pin, Miniature T-6-1/2 9RG1.25V200mA High Voltage Rectifier (F) 1BG23-lead 1.4V575mA Diode (H-K) 1BH2A9-pin, Miniature T-6/1/2 w/ solder lugs on pins 1 & 2, 5 9RG1.25V200mA High Voltage Rectifier (F) 1BQ29-pin Noval T6-1/2 1.4V600mA Diode (H-K) 1BY2AE12-70, T-9 12HZ1.25V200mA High Voltage Rectifier (F) 1C44-prong ST-12 2.0VDC120mA Super Control RF Amplifier Pentode 1C5G, 1C5GT7-pin Octal T-9 6X 1.4V100mA Power Amplifier Pentode (F) RCA-1C66-prong ST-126L 2.0VDC120mAPentagrid Converter 1C7-GOctal ST-127Z 2.0VDC120mAPentagrid Converter 1C88-lead Subminiature T-3 BCN-0-01.25VDC40mA Pentagrid Converter 1C216-pin Octal T-94V n/an/a Gas-TriodeCold-Cathode Glow-Discharge Type 1D45-prong ST-145K 2.0VDC240mAPower Amplifier Pentode 1D5, 1D5-GP, 1D5GT7-pin Octal ST-12 5Y2.0VDC60mA Super Control RF Amplifier Pentode 1D7GOctal ST-127Z 2.0V60mAPentagrid Converter 1D8GOctal T-9 8AJ 1.4V100mA Diode-Triode-Power Amplifier Pentode 1DG3AOctal T-9 8ND1.25V200mA High Voltage Rectifier (F) 1DN57-pin Miniature T5-1/2 6BW 1.4V50mA Diode and Remote-Cutoff Pentode (F)Detector and IF Amplifier 1E57-pin Octal ST-12 5Y2.0VDC60mA RF Amplifier Pentode 1E7G , 1E7GT Octal ST-12 (1E7G) or T-9 (1E7GT)8C 2.0VDC240mA Twin Pentode (F)Power Amplifier 1E88-lead Subminiature T-3 8CN1.25VDC40mA Pentagrid Converter RCA-1F4 *5-prong ST-14 5K2.0VDC120mA Power Amplifier Pentode 1F5G7-pin Octal ST-14 6X 2.0VDC120mA Power Amplifier Pentode RCA-1F6 1F6 6-prong ST-126W 2.0VDC60mADuplex Diode and Pentode (F) 1F7-GVOctal ST-12 7AD2.0VDC60mA Duplex Diode and Pentode (F) 1G3GTA/1B3GTOctal T-9 3C1.25V200mA High Voltage Rectifier (F)older B& W TV 1G4GT/G7-pin Octal T-9 5S 1.4VDC50mA Detector Amplifier Triode 1G5-G7-pin Octal ST-14 6X 2.0VDC120mA Power Amplifier Pentode 1G6-GTGOctal T-9 7AB1.4VDC100mA Class B Twin Amplifier (F) 1H29-pin Miniature T6-1/2 9LX1.4V550mA Diode (H-K) 1H4G7-pin Octal ST-12 5S2.0VDC60mA Detector Amplifier Triode (F) 1H5G, 1H5GT7-pin Octal T-9 5Z 1.4V50mA Diode and High-Mu TriodeDetector and AF Amplifier 1H6GOctal ST-12 7AB2.0VDC60mA Duplex-Diode and Triode (F) 1J5G7-pin Octal ST-14 6X2.0VDC120mA Power Amplifier Pentode (F) 1J6G , 1J6-GTOctal T-9 7AB2.0VDC240mA High-Mu Twin Power Triode (F) 1K015XA, 1K015XG 6.3V800mA Reflex Klystron 1K3A/1J3Oktaal T-9 3C1.25V200mA kõrgepinge alalisvoolu (F)vanem B& W TV 1K44-prong ST -124M 2.0VDC120mAPentode võimendi (F) 1K5-G7-pin kaheksanurkne ST-12 5Y2.0VDC120mA Pentode võimendi (F) 1K66-prong ST-126WA 2.0VDC120mADuo-Pentode Pentode 1K7-GOktaal ST-127AE 2.0VDC120mADuo-diod Pentode 1L47-pin Miniature T5-1/2 6AR 1.4VDC50mA RF võimendi pentode (F) 1L5-G7-pin kaheksakandiline ST-14 6X Power Võimendi pentode (F) Miniature T5-1/2 7DC 1.4VDC50mA Pentagrid Converter 1LA4Loctal T-9 5AD 1.4VDC50mA Power Amplifier Pentode (F) 1LA6Loctal T-9 7AK 1.4VDC50mA Pentagrid Converter (F) 1LB4Loctal T-95AD 1.4VDC50mA Power Pentode 1LCLoctal T-9 7AO 1.4VDC50mA Sharp-Cutoff Pentode (F) 1LCLoctal T-9 7AK 1.4VDC50mA Pentagrid Converter (F) 1LD5Loctal T-9 6AX 1.4VDC50mA Diode and Sharp-Cutoff Pentode (F) 1LE3Loctal T-9 4AA 1.4VDC50mA Medium-Mu Triode (F) 1LG5Loctal T-9 7AO 1.4VDC50mA Remote-Cutoff Pentode (F)RF or IF Amplifier 1LH4Loctal T-9 5AG 1.4VDC50mA Diode and High-Mu Triode (F)Detector and AF Amplifier 1LN5Loctal T-97AO 1.4VDC50mA Sharp-Cutoff Pentode (F) 1M3/DM708-pin Subminiature 1.4V25mA Electron-Ray TubeIndicator 1M5-G7-pin Octal ST-12 5Y2.0VDC120mA Super Control RF Amplifier Pentode 1N2A7-pin Octal T-12 3C1.25V200mA HV Half-Wave Rectifier (F) 1N3/DM718-pin Subminiature 1.4V25mA Electron-Ray TubeIndicator 1N5G, 1N5GT7-pin Octal T-9 5Y1.4VDC50mA RF Amplifier Pentode (F) 1N6GOctal T-9 7AM 1.4VDC50mA Diode and Power Amplifier Pentode (F) 1P2111-pin Submagnal T-9 9-Stage Photomultiplier 1P2211-pin Submagnal T-9 11Kn/an/a 9-Stage Photomultiplier 1P2315-pin Miniature T5-1/27EW 2.4V600mA Sharp-Cutoff TetrodeVHF Amplifier 2D13, 2D13A, 2D13C 13.0V200mA Double Diode 2D217-pin Miniature T5-1/2 7BN 6.3V600mA Gas Thyatron Tetrode 2DS4Nuvistor , metal 12AQ2.1V450mA High-Mu TriodeVHF Amplifier 2DV4Nuvistor, Metal 12EA2.1V450mA Medium-Mu TriodeUHF Oscillator 2DZ42AF4A 7-pin Miniature T5-1/2 7DK2.35V600mA Medium-Mu TriodeUHF Oscillator 2E56-prong ST-12 6R2.5V800mA Electron-Ray Tube w/ Triode UnitIndicator 2E225-prong ST-16 6.3V1.5A Pentode Power Amplifier Oscillator 2E24Octal T-9 7CL6.3V650mA VHF Beam Power Amplifier 2E26Octal T-9 7CK6.3V800mA VHF Beam Power Amplifier 2E315-lead Subminiature T-2x3 1.25V50mA PentodeRF/IF Amplifier 2E355-lead Subminiature T-2x3 1.25V30mA PentodePower Amplifier 2EA57-pin Miniature T5-1/2 7EW2.4V600mA Sharp-Cutoff Tetrode 2EN57-pin Miniature T5-1/2 7FL 2.1V450mA Twin Diode 2ER57-pin Miniature T5-1/2 7FP2.3V600mA Semiremote-Cutoff TriodeVHF Amplifier 2ES57-pin Miniature T5-1/2 7FP2.35V600mA High-Mu TriodeVHF Amplifier 2EV57-pin Miniature T5-1/2 7EW2.4V600mA Sharp-Cutoff TetrodeVHF Amplifier 2FH57-pin Miniature T5-1/2 7FP2.35V600mA High-Mu TriodeVHF Amplifier 2FQ5, 2FQ5A7-pin Miniature T5-1/2 7FP2.3V600mA Triode 2FS57-pin Miniature T5-1/2 7GA2.4V600mA Shadow-Grid Beam PentodeVHF Amplifier 2FV67-pin Miniature T5-1/2 7FQ2.4V600mA Sharp-Cutoff TetrodeVHF Amplifier 2FY57-pin Miniature T5-1/2 7FP2.4V600mA High-Mu TriodeVHF Amplifier 2G/402A, 3B28 (CV1835) 2.5V5A Gas-Filled Half-Wave Rectifier 2G56-prong ST-126R 2.5V800mA Electron-Ray TubeIndicator 2G217-lead Subminiature T-2x3 1.25V50mA Triode and Heptode 2GK5/2FQ5A 7-pin Miniature T5-1/2 7FP2.3V600mA Gain-Controlled TriodeVHF Amplifier 2GU57-pin Miniature T5-1/2 7GA2.4V600mA Shadow Grid Beam PentodeVHF Amplifier 2GW57-pin Miniature T5-1/2 7GK2.45V600mA Frame-Grid TriodeVHF RF Amplifier 2HA5/2HM57-pin Miniature T5-1/2 7GM2.4V600mA Shielded TriodeVHF Amplifier 2HK57-pin Miniature T5-1/2 7GM2.3V600mA Gain Controlled TriodeVHF Amplifier 2HQ57-pin Miniature T5-1/2 7GM2.4V600mA Sharp-Cutoff TriodeVHF Amplifier 2J42 6.3V600mA Magnetron(forced-air cooled) 2J49, 2J50 6.3V1A Magnetron 2J51, 2J51A 6.3V0.9-1A

Vertical Deflection Oscillator (T) and IF/General Purpose Amplifier 6FW56-pin Octal T12 6CK6.3V1.2A Beam Power TubeHorizontal Deflection Amplifier 6FY57-pin Miniature T5-1/2 7FP6.3V200mA High-Mu TriodeVHF Amplifier 6FY712-pin Compactionr T-9 12E06.3V1.05A Double Dissimilar TriodeVertical Läpäinde Ostsillaator ja võimendi RCA-6G56-prong ST-12 6.3V300mA Electron-Ray TubeInclinator 6G6-GT pin kaheksanurkne ST-12 TS 6.3V150mA Power Võimendi Pentode 6G1112-pin Compactionr T-9 12BÜ6.3V1.2A Double Erinevad PentodeFM detektor ja Audio Power Võimendi 6 G-B3AOctal 6AM6.3V1.2A Tala võimsus TubeHorizontal läpäinde Võimendi 6GB5EL500EL5049-pin Magnoval T-9 9NH6.3V1.38A Tala võimsus PentodeHorizontal läpäinde Võimendi 6GC59-pin Miniatureur (?) T-9 9EU6.3V1.2A Beam Power PentodeAudio Power Amplifier 6GC66-pin Octal T-12 8JX6.3V1.2A Beam PentodeHorizontal Deflection Amplifier 6GE512-pin Compactionr T-12 12BÜ6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6GE89-pin Miniature T6-1/2 6.3V900mA Low-Mu Triode and Sharp-Cutoff PentodeVoltage Regulation Applications 6GF512-pin Compactionr T-9 12BÜ6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6GF7, 6GFTA 9-pin Novar T-99QD 6.3V985mA Double Dissimilar TriodeVertical Deflection Oscillator and Amplifier 6GH8A9-pin Miniature T6-1/2 9AE6.3V450mA Medium-Mu Triode and Sharp-Cutoff Pentode VHF Oscillator and Mixer or General-Purpose Amplifier 6GJ35, 6GJ5A 9-pin Novar T-129NM, 9QK6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6GJ7/ECCF8019-pin Miniature T6-1/2 9QA6.3V410mA Triode and PentodeVHF Oscillator and Mixer 6GJ89-pin Miniature T6-1/2 9AE6.3V600mA Triode and Pentode 6GK56/FQ5A 7-pin Miniature T5-1/2Z7FP 6.3V180mA Gain-Controlled Triode VHF Amplifier 6GK69-pin Miniature T6-1/2 9GK6.3V760mA Beam Power PentodeAudio Power Amplifier or Video Amplifier 6GK-G17Octal Pool-laine rectifierDampner 6GL7Octal T-9 8BDÜ6.3V1.05A Double erinevad TriodeVertical läpäinde ostsillaator ja võimendi 6GM59-pin T-9 9MQ6.3V800mA Beam Power PentodeAudio Power Võimendi 6 GM67-pin Miniature T5-1/2 7CM6.3V400mA Semi-Remote-Cutoff PentodeIF võimendi 6GM8/ECC869-pin Miniature T6-1/2 9DE6.3V330mA Twin Triode6.3V plaat pingel 6GN67-pin miniaturuur T5-1/2 7WÜ6.3V300mA Remote-Cutoff PentodeRF või IF võimendi 6GN8/6EB8 9-pin Miniature T6-1/29DX 6.3V750mA High-Mu Triode ja Sharp-Cutoff Pentode Sync eraldaja või pinge võimendi (T); Video Amplifier (P) 6CQ79-pin Miniature T6-1/2 9QM6.3V450mA Triple DiodeAM or FM Detector 6GS89-pin Miniature T6-1/2 9LW 9-pin 9FG6.3V300mA Double PentodeSync Separator/Clipper and AGC Tube 6GT5, 6GT5A 9-pin Novar T-129NZ 6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6GU57-pin Miniature T5-1/2 7GA6.3V220mA Shadow Grid Beam PentodeVHF Amplifier 6GU79-pin Miniature T6-1/2 9LP6.3V600mA Medium-Mu Triode TriodeVertical/Horizontal Oscillator or Chroma Amplifier 6GV512-pin Compactionr T-12 12DR6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6GV8/ECL859-pin Miniature T6-1/2 9LY6.3V900mA Triode and PentodeVertical Deflection Amplifier 6GW57-pin Miniature T5-1/2 7GK6.3V190mA Frame-Grid TriodeVHF RF Amplifier 6GV66-pin Octal T-12 6AM6.3V1.2A Beam Power TubeHorizontal Deflection Oscillator 6GW8/ECL869-pin Miniature T6-1/2 9LZ6.3V700mA Triode and PentodeAF Voltage Amplifier and Audio Power Amplifier 6GX67-pin Miniature T5-1/2 7EN6.3V450mA PentodeFM Detector Service 6GX79-pin Miniature T6-1/2 9QAE.6V400mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF Oscillator and Mixer 6GY512-pin Compactionr T-12 12DR6.3V1.5A Beam Power PentodeHorizontal Deflection Amplifier 6GY6/6GX6 7-pin Miniature T5-1/2 7EN6.3V450mA Sharp Cutoff PentodeGated AGC Amplifier and Noise Inverter või FM detektor 6GY89-pin Miniature T6-1/29MB 6.3V450mA Triple TriodeRF võimendi; Autodyne Mixer and AFC in FM Receivers 6GZ57-pin Miniature T5-1/2 7CV6.3V380mA Power PentodeAudio Power Amplifier 6H17-pin Miniature 6.3V200mA Hexode 6H4GT5-pin Octal T-9.6.3V150mA Diode (H-K)Low Current/Low Voltage Applications 6H6, 6H6G, 6H6GT, 6H6P7-pin Octal MT-8 or T-9 7Q6.3V300mA Twin Diode 6HA5/6HM57-pin Miniature T5-1/2 7GM6.3V185mA Shielded TriodeVHF Amplifier 6HB512-pin Compactionr T-12 12BÜ6.3V1.5A Beam Power PentodeHorizontal Deflection Amplifier 6HB6/H469-pin Miniature T6-1/2 9PU6.3V760mA Beam Power PentodeVertical Deflection Amplifier 6HB79-pin Miniature T6-1/2 9QA6.3V450mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF Oscillator and Mixer 6HC89-pin Miniature T-9 9EX6.3V1.2A Triode and Pentode 6HD79-pin Miniature T6-1/2 9QA6.3V450mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF Oscillator and Mixer 6HE512-pin Compactionr T-9 12EY6.3V800mA Beam Power TubeVertical Deflection Amplifier 6HE712-pin Compactionr T-12 12FS6.3V2.7A High-Perveance Diode and Beam Power Pentode Dampner and Horizontal Deflection Amplifier 6HF512-pin Compactionr T-12 12FB6.3V2.25A PentodeHorizontal Deflection Amplifier 6HF89-pin Miniature T6-1/2 9DX6.3V750mA High-Mu Triode and Sharp-Cutoff Pentode Sync Separator or Voltage Amplifier (T) and Video Amplifier (P) 6HG57-pin Miniature T5-1/2 7BZ6.3V450mA Beam Power TubeAudio Power Output in TV 6HG/ECCF869-pin Miniature T6-1/2 9MP6.3V340mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF Oscillator and Mixer 6HJ512-pin Compactionr T-12 12FL6.3V2.25A Beam Power PentodeHorizontal Deflection Amplifier 6HJ89-pin Miniature T6-1/2 9CY6.3V450mA High Perveance Diode and Sharp Cutoff Pentode Detector or DC Restorer and IF/AGC Amplifier 6HK57-pin Miniature T5-1/2 7GM6.3V190mA Gain Controlled TriodeVHF Amplifier 6HK69-pin Miniature T6-1/2 9AE6.3V600mA Medium-Mu Triode and Sharp-Cutoff Pentode Sync Separator or Voltage Amp (T) and Video/IF/AGC Amplifier (P) 6HM5/6HA57-pin Miniature T5-1/2 7GM6.3V180mA High-Mu TriodeVHF Amplifier 6HM69-pin Miniature T6-1/2 9PM6.3V300mA Sharp-Cutoff PentodeIF Amplifier 6HO57-pin Miniature T5-1/2 7GM6.3V200mA Sharp-Cutoff TriodeVHF Amplifier 6HR57-pin Miniature T5-1/2 7BZ6.3V450mA Beam Power PentodeVertical Deflection Amplifier 6HR67-pin Miniature T5-1/2 7BK6.3V450mA Semi-Remote-Cutoff PentodeIF Amplifier 6HS512-pin Compactionr T-12 12CY6.3V1.5A Beam TriodeHigh Voltage Regulator 6HS67-pin Miniature T5-1/2 7BK6.3V450mA Sharp-Cutoff PentodeIF Amplifier 6HS89-pin Miniature T6-1/2 9FG6.3V300mA Double PentodeSync Separator/Clipper and AGC 6HT69-pin Miniature T6-1/2 9PM6.3V300mA Semi-Remote-Cutoff PentodeIF Amplifier 6HU8/ELL809-pin Miniature T6-1/2 9NJ6.3V550mA Double PentodeAF Amplifier 6HV5A12-pin Compactionr T-12 12GV6.3V1.8A Beam TriodePulse-type HV Regulator 6HZ5/6JD512-pin Compactionr 12GY6.3V2.4A Beam TriodePulse-type HV Regulator 6HZ67-pin Miniature T5-1/2 7EN6.3V450mA Sharp-Cutoff PentodeFM Detector 6HZ89-pin Miniature T-9 9DX6.3V1.125A High-Mu Triode and Sharp-Cutoff Pentode Sync/Voltage Amplifier (T) and Video Amplifier (P) 6J4, 6J4P7-pin Miniature T5-1/2 7BZ6.3V400mA UHF Amplifier Triode 6J5, 6J5C, 6J5GT, 6J5GTX, 6J5WGT 6-pin Octal M78G (6J5) or T-9 (6J5GT) 6Q6.3V300mA Medium-Mu Triode 6J6, 6J6A, 6J6WA 7-pin Miniature T5-1/2 7ZBF6.3V 450mA Double Triode High Frequency Oscillator, Amplifier or Mixer 6J7, 6J7G, 6J7GT, 6J7GTX 7-pin kaheksanurkne MTT8A (6J7), ST-12 (6J7G) või T-9 (6J7GT) 7R6.3V300mA Sharp-Cutoff Pentode 6J8G, 6J8POctal T-9 12 8H6.3V300mA Triode-Heptode Converter 6J910-pin Miniature T6-1/210G 6.3V450mA Triple TriodeVHF võimendi, Ostsillaator ja mikser 6J10/GZ10 12-pin Compactionr T-912B 6.3V950mA Double Dissimilar PentodesFM diskrimineeriv ja audio power võimendi 6J1112-pin Compactionr T-912BÜ 6.3V800mA Double Sharp-Cutoff PentodeIF Amplifier 6JA512-pin Compactionr T-12 12EY6.3V1A Tala võimsus PentodeVertical läpäinde Võimendi 6JA89-pin Miniature T6-1/2 9DX6.3V750mA High-Mu Triode ja Tala võimsus Pentode Sync eraldaja / Clipper, faasi inverter (T); Video võimendi (P) 6J8512-pin Compactionr T-12 12EY6.3V800mA Tala PentodeVertical läpäinde 6JB6, 6JB6A 6JB6A Novar T-129QL 6.3V1.2A Kiire võimsus PentodeHorizontal deflektsioon võimendi 6JC5/6JB5/6HE5 12-pin Compactionr T-1212EY 6.3V800mA Tala võimsus PentodeVertical läpäinde võimendi 6JC6, 6JC6A 9-pin Miniature T6-1/2 20PM6.3V300mA Terav äralõigatud pentodeIF võimendi 6JC 89-pin Miniature T6-1/2 9PA6.6V450mA Keskmise-Mu Triode ja Sharp-Cutoff PentodeVHF Ostsillaator ja mikser 6JD512-pin Compactionr T-12 12CY6.3V2.4A Tala triodeKõrge pingeregulaator 6JD69-pin Miniature T6-1/2 9PM6.3V300mA Teravad äralõigatud pentodeIF-võimendi 6JE6, 6JE6A, 6JE6C/6LQ6MJ69-pin Novar T-12 9QL6.3V2.5A Kiire võimsus PentodeHorizontal läpäinde võimendi 6JE89-pin Miniature T6-1/2 9DX6.3V780mA high-mude ja sharp-cuttoff Pentode separat syncor või pinge amp (T); Video Amplifier (P) 6JF69-pin Novar T-9 12 9QL6.3V1.6A Beam Power PentodeHorizontal Deflection Amplifier 6JG59-pin Miniature T6-1/2 9SF6.3V525mA High Transconductance PentodeVideo Amplifier 6JG6, 6JG6A 9-pin Novar T-129QU 6.3V1.6A Beam Power PentodeHorizontal Deflection Amplifier 6JH512-pin Compactionr T-12 12JÜ6.3V2.4A Beam TriodeHigh Voltage Regulator 6JH67-pin Miniature T5-1/2 7CM6.3V300mA Semi-Remote-Cutoff PentodeAGC/IF Amplifier 6JH89-pin Miniature T6-1/2 9DP6.3V300mA Double-Plate Sheet Beam Power Tubesynchronous Detector 6JK512-pin Compactionr T-12 12JÜ6.3V1.8A Beam TriodeHigh Voltage Regulator 6JK67-pin Miniature T5-1/2 7CM6.3V350mA Sharp-Cutoff PentodeIF Amplifier 6JK89-pin Miniature T6-1/2 9AJ6.3V400mA Double Dissimilar TriodeRF Amplifier Oscillator and Mixer 6JL677-pin Miniature T5-1/2 7CM6.3V350mA Semi-Remote-Cutoff PentodeAGC/IF Amplifier 6JM6, 6JM6A12-pin Compactionr T-12 12FJ6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6JN6, 6JN6A12-pin Compactionr T-12 12ZF6.3V1.2A Beam Power PentodeHorizontal Deflection Amplifier 6JN89-pin Miniature T6-1/2 9FA6.3V450mA Medium-Mu Triode and Sharp-Cutoff Pentode Horizontal Deflection Oscillator and General Purpose Triode 6JQ69-pin Miniature T6-1/2 9RA6.3V1.2A Beam Power Tube w/ Integral DiodeVertical Deflection Amplifier 6JR69-pin Novar T-12 9QÜ6.3V1.6A Beam Power TubeHorizontal Deflection Amplifier 6J36, 6J36C 12-pin Compactionr T-1212ZF 6.3V2.25A Tala võimsus PentodeHorizontal läpäinde Võimendi 6JJ6, 6JT6A 9-pin Novar T-129QU 6.3V1.2A Tala võimsus PentodeHorizontal läpäinde Võimendi 6JT89-pin Miniature T-9 9DX6.3V725mA High-Mude ja Sharp-Cutoff Pentode pinge võimendi või sync eraldaja (T); Video võimendi (P) 6JU69-pin Novar T-12 9QL6.3V1.6A Tala võimsus PentodeHorizontal läpäinde Võimendi 6JÜ8, 6JÜ8A 9-pin Miniature T6-1/29PÜ 6.3V600mA Neljane diodephase detektor Color Kilmer 6JV89-pin Miniature T6-1/2 9DX6.3V600mA High-Mu Triode ja Sharp-Cutoff Pentode Ping võimendi või sync eraldaja (T); videovõimendi (P) 6JW8/ECC8029-pin Miniature T6-1/2 9DC6.3V430mA Triode ja PentodeHorizontal Ostsillaator (P); Reaktsiooni toru (T) 6J2612-pin Compactionr T-12 12GD6.3V1.5A valgusühiv võimsus pentodehorizontal läpäinde võimendi 6JZ812-pin Compactionr T-9 9MÜ6.3V400mA Triode Vertical pentode oscillator and amplifier 6K5G for sharp cut-off pens, 6K5G77-pin Octa T-9 G-5Ü6.3V300mA High-Mu Triode 6K6GT6- or 7-pin Octave T-9 7AC or T-9 6.3V400mA Power PentodeAudio Power Amplifier 6K7, 6K7G, 6K7GT, 6K7GTX 7-pin octagonal MT-8 Metal (6K7), ST-12 (6K7G) or T-9 (6K7GT) 7R6.3V300mA Triple-Grid Super-Control Amplifier 6K8, 6K8G, 6K8GT, 6K8GT-X Octagonal MT-8 Metal (6K8), ST-12 (6K8G) or T-9 (6K8GT) 8K6.3V300mA Triode-Hexode Converter 6K11/6Q1112-Compact Pinron T-9 12BY6.3V600mA Two High-Mu Triodes and One Medium-Mu Triode AGC, Sync Clipper and Noise Inverter 6KA89-pin Miniature T6-1/2 9PW6.3V600mA High-Mu Triode and Sharp-Cutoff Pentode Sync Separator (T); AGC Amplifier and Noise Inverter (P) 6KD612-pin Compactionr T-12 12GÜ6.3V2.85A Fast Power PentodeHorizontal Pass-Through Amplifier 6KD89-pin Miniature T6-1/2 9AE6.3V400mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF Oscillator and Mixer 6KE89-pin Miniature T6-1/2 9DC6.3V400mA Medium-Mu Triode and sharp cut-off pentodeVhf oscillator and mixer 6KG6A/EL5099-pin Magnoval T-12KG6 6.3V2A Beam power PentodeHorizontal deflector 6KM69-pin Novar 9 Q 6.3V1.6A High speed PentodeHorizontal pass-through amplifier 6KM89-pin Miniature T6-1/2 9QÜ6.3V300mA diode and sharp cut off triple plate Tetrode Key for Vibrator Circuit (D); Frequency divider or complex wave generator (TT) 6KN612-pin Compactionr T-1212GU 6.3V3A Beam Power Pentode (2 paragraphs parallel) Horizontal injection Amplifier 6KR8, 6KR8A9-pin Miniature T6-1/2 9DX6.3V750mA Medium-Mude and Sharp-Cutoff Pentode General Purpose Amplifier (T); Video Amplifier (P) 6KS67-pin Miniature T5-1/2 7DF6.3V300mA Gated-Beam Discriminatory FM Detector 6KS89-pin Miniature T6-1/2 9DX6.3V600mA Hi-Mu Triode and semi-remote-cuttoff Pentode Sync separator (T); Video Amplifier (P) 6KT69-pin miniature T6-1/2 9PM6.3V300mA Semi-Remote-Cutoff PentodeIF Amplifier TV 6KT89-pinture T6-1/2 9QÜ6.3V600mA High-Mu Triode and High-Gm Triode Sharp-Cutoff Pentode Separator or Voltage Amplifier (T); IF Amplifier (P) 6KU89-pin Miniature T6-1/2 9LT6.3V725mA Double Diode and Sharp Cutoff Pentode Horizontal Phase Detector (D); Video Amplifier (P) 6KV6, 6KV6A 9-pin Novar T-129QU 6.3V1.6A Beam Power PentodeShunt Regulator 6KV89-pin Miniature T6-1/2 9DX6.3V775mA High-Mu Triode and Sharp-Cutoff Pentode Sync Separator, Sound/Voltage Amplifier (T); Video Amplifier (P) 6KY69-pin Miniature T6-1/2 9KÜ6.3V520mA Sharp-Cutoff Pentode Voltage Output Amplifier 6KY8, 6KY8A 9-pin Novar T-99QT 6.3V1.1A High-Mu Triode and Beam Power Pentode Vertical Deflection Oscillator (T) and Amplifier (P) 6KZ8 * 9-pin Miniature T6-1/29ZF 6.3V450mA Medium-Mu Triode and Sharp-Cutoff Pentode VHF Oscillator and Mixer 6L1Octal 6.3V400mA Twin Triode 6L4Acorn Tube 6.3V225mA Oscillator Triode 6L5G6-pin Octal ST-12 6Q.6.3V150mA Detector Amplifier Triode 6L6, 6L6G, 6L6BG, 6L6GC, 6L6WA, 6L6WB66- or 7-pin Octal T-12 7AC6.3V900mA Beam Power PentodeAudio Power Amplifier 6L7, 6L7G 7-pin Octal MT-8 (6L7) or ST-12 (6L7GT) 7T (6L7GT) Mixer Amplifier 6L9Octal 6.3V400mA Double Triode 6LB612-pin Compactionr T-12 12FY6.3V2.25A Beam power PentodeHorizontal Pass-through Amplifier 6LB89-pin Miniature T-9 9DX6.3V725mA Medium-Triode and Sharp-Cutoff Pentode Voltage Amplifier (T); Video Amplifier (P) 6LC6oktal T-128ML 6.3V200mA Beam Power TriodeShunt Regulator 6LC89-pin Miniature T6-1/2 9QY6.3V600mA High-Mu Triode and Sharp-Cutoff Pentode Sync Separator (T); Gated AGC Amplifier (P) 6LD6/EL8029-pin Miniature T6-1/2LD6 6.3V800mA ? PentodeVideo Amplifier 6LE89-pin Miniature T6-1/2 9QE6.3V760mA Twin PentodeColor Demodulator 6FL612-pin Compactionr T-12 12GM6.3V2A Beam pentodehorizontal sweeping amplifier 6LF89-pin miniature T6-1/2 9DX6.3V600mA high-my triode and sharp-cuttoff pentode video amplifier (T); General purpose amplifier (P) 6LG612-pin Compactionr T-12 12HL6.3V2.0A high-speed pentodehorizontal pass-through amplifier 6LJ6-Acotal T-12 8MQ6.3V2 0 mA Beam TriodeHV shunt regulator 6LJ89-pin Miniature T6-1/2 9GF6.3V400mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF oscillator and mixer 6LM8, 6LM8A9-pin Miniature T6-1/2 9AE6.3V450mA Medium-Mu Triode and Semi-Remote-Cutoff Pentode Burst Amplifier (P); General purpose amplifier (T) 6LN89-pin miniature T6-1/2 9DC6.3V450mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF oscillator and mixer 6 LQ89-pin Miniature T6-1/2 9DX6.3V775mA medium my triode and sharp cuttoff pentode sync separator or sound if amplifier and video amplifier 6LR 89-pin Novar T-12 9QT6.3V1.5A High-Mu Triode and beam power PentodeVertical pentifying oscillator and amplifier 6L789-pin Miniature T6-1/2 2 9RL6.3V600mA Double Diode and PentodeHorizontal Oscillator and AFC 6LU67-pin Miniature T5-1/2 7CM6.3V400mA ? PentodeGene amplifier 6LU812-pin Compactionr T-12 12DZ6.3V1.5A High-Mu Triode and Beam Power Pentode Vertical Through-The-Pin Oscillator and Amplifier 6L W 6 8-pin octagonal T-148NC 6.3V2.65A beam power PentodeHorizontal pass-through amplifier 6LX612-pin Compactionr T-12 12JA6.3V 2.5A Beam power PentodeHorizontal pass-through amplifier 6LX8L/CF8029-pin Miniature T6-1/2 9DC6.3V450mA Triode and PentodeHorizontal Oscillat or (P) and reactance Tube (T) 6LY89-pin Miniature T6-1/2 9DX6.3V750mA High-Mu Triode and Sharp-Cutoff Pentode Video Amplifier (P); General purpose amplifier (T) 6LZ69-pin Novar T-12 9QL6.3V2.3A Beam power PentodeHorizontal pass-through amplifier 6M2Octal 6.3V 200 mA Dual Sensitivity Tuning Indicator 6M1112-pin Compactionr T-9 12CA6.3V750mA Double High-Mu Triode and Sharp-Cutoff Pentode Sync Separator and AGC Amplifier (T); IF Amplifier (P) 6MA6okt T-12 8NP6.3V200mA Tala TriodeHV Shunt regulator 6MB612-pin Compactionr T-12 12FY6.3V2.2 5A Beam PentodeHorizontal Deflection Amplifier 6MB89-pin Miniature T6-1/2 9FA6.3V400mA Medium-Mu Triode and Sharp-Cutoff Pentode Burst Amplifier (P); Video Amplifier (T) 6MC69-pin Novar T-129QL 6.3V2.85A Sole Power PentodeHorizontal Pass-Through Amplifier 6MD89-pin Compactionr T-9 9RQ6.3V900mA Triple TrioDeChroma Matrxing 6ME69-pin Novar T-12 12-B Beam Power PentodeHorizontal Deflection Amplifier 6ME89-pin Miniature T6-1/2 9RU6.3V300mA Sheet Beam Tube (Double Plate)Synchronous Detector 6MF812-pin Compactionr T-12 12DZ6.3V1.4A High-Mu Triode and Beam Power Pentode Vertical Deflection Oscillator and Amplifier 6MG89-pin Miniature T6-1/2 9DC6.3V450mA Medium-Mu Triode and Sharp-Cutoff Pentode Horizontal Deflection Oscillator Amplifier 6M-HH37-pin Miniature T5-1/2 6.3V450mA Medium-Mu Twin TriodeVHF Oscillator and Mixer 6MJ812-pin Compactionr T-9 12HÜ6.3V900mA Triple TriodeChroma Matrxing Amplifier 6MK8A9-pin Miniature T6-1/2 9FG6.3V300mA Double Pentode Sync Separator, Clipper, AGC Amplifier, Low-Level Color Demodulator 6MN812-pin Compactionr T-9 12HU6.3V900mA Triple TriodeMatrix Amplifier in Color TV 6MQ89-pin Miniature T6-1/2 9AE6.3V355mA Medium-Mu Triode and Sharp-Cutoff Pentode 6MU89-pin Miniature T6-1/2 9AE6.3V600mA Medium-Mu Triode and Semi-Remote-Cutoff Pentode Burst Amplifier and General-Purpose Amplifier 6MV89-pin Miniature T6-1/2 9DX6.3V600mA High-Mu Triode and Sharp-Cutoff Pentode Sync Separator or Voltage Amplifier (T); IF Võimendi (P) 6N47-pin Miniatureur? 6.3V200mAUHF Triode 6N6-G7-pin Octal T-9 9AC6.3V450mA Direct-Coupled Power Amplifier 6N7, 6N7G, 6N7GT, 6N7P Octal MT-8 Metal (6N7) or T-9 (6N7G, GT)8B 6.3V800mAclass B Twin Amplifier 6P5GT/G6-pin Octal T-9 6QÜ6.3V300mA Detector Amplifier Triode 6P7GOctal ST-12 7Ü6.3V300mA Triode-Pentode 6P177-pin Miniature 6.3V200mA Output Pentode 6Q5GOctal 6Q6.3V600mA Gas TriodeOscillograph Sweep Oscillator 6Q7, 6Q7G, 6Q7GT 7-pin Octal MT-8 Metal (6Q7), ST-12 (6Q7G) or T-9 (6Q7GT) 7V6.3V300mA Duplex-Diode and High-Mu Triode 6R7, 6R7G, 6R7GT 7-pin Octal MT-8 Metal (6R7) or T-9 (6R7GT/G) 7V6.3V300mA Duplex-Diode and Triode 6R89-pin Miniature T6-1/2 9E6.3V450mA Triple Diode and Low-Mu TriodeAM-FM Detector and AF Amplifier 6R-H29-pin Miniature T6-1/2 9AJ6.3V400mA Medium-Mu, Semiremote-Cutoff Twin TriodeVHF Cascode Amplifier 6R-P109-pin Miniature T6-1/2 6.3V500mA Triode Pentode Amplifier T6-1/2 9AC6.3V600mA Medium-Mu Triode and Semi-Remote-Cutoff Pentode Burst Amplifier 6S7 , 6S7G 7-pin Octal Metal MT-8 (6S7) or T-12 (6S7G) 7R6.3V150mA Triple-Grid Super-Control Amplifier 6S8GTOctal T-9 8CB6.3V300mA Casode Triode Diode and High-Mu Triode 6SA7, 6SA7G, 6SA7GTOctal T-9 8AD6.3V300mA HeptodeAM Converter 6S8Y-YOctal Metal MT-8 8R6.3V300mA Pentagrid Converter 6SCT, 6SCTGTOctal MT-8 Metal 8S6.3V300mA High-Mu Triode Triode Pentode 6SD7GTOctal T-9 8N6.3V300mA Semi-Remote-Cutoff PentodeRF or IF Amplifier 6SFS, 6SFSGT 6-pin Octal MT-8 Metal (6SFS) or T-9 (6SFSGT) 6AB6.3V300mA High-Mu Triode 6SF7Octal MT-8 7AZ6.3V300mA Diode and Super-Control Amplifier PentodeRF or IF Amplifier 6SG7, 6SG7GTOctal TW-8 8BK6.3V300mA Semi-Remote-Cutoff PentodeRF or IF Amplifier 6SH7, 6SH7GT, 6SH7GTOctal MT-8 8BK6.3V300mA Sharp-Cutoff PentodeRF or IF Amplifier 6SK7, 6SK7GT, 6SK7GTOctal T-9 8N6.3V300mA Remote-Cutoff PentodeRF or IF Amplifier 6SL7, 6SL7GT, 6SL7WGTOctal T-9 8BDÜ6.3V300mA High-Mu Twin TriodeAF Voltage Amplifier 6SN7, 6SN7GT, 6SN7GTA, 6SN7GTB, 6SN7WGT, 6SN7WGTJ, 6SN7WGTOctal T-9 8BDÜ6.3V600mA Medium-Mu Double Triode Horizontal Multivibrator, Phase Inverter, or Vertical Oscillator and Amplifier 6S87, 6SQTG, 6SQ7GTOctal T-9 8Q6.3V300mA Double Diode and High-Mu TriodeAudio Detector and Amplifier 6SR7, 6SR7GTOctal MT-8 8Q6.3V300mA Double Diode and TriodeDetector and AF Amplifier 6SS7, 6SS7GTOctal MT-8 8N6.3V150mA Triple-Grid Super-Control Amplifier (Pentode) 6SU7GT, 6SU7WGT/6188 Octal T-98BDÜ6.3V 300mAHigh-Mu Twin TriodePremium 6SL7GT 6SV7Octal MT-8 Metal Shell 7A26.3V300mA Diode and Sharp-Cutoff Pentode 6SZ7Octal MT-8G Metal Shell 8Q6.3V150mA Duplex-Diode and High-Mu Triode and Sharp-Cutoff Pentode 6SZ7Octal MT-8G Metal Shell 8Q6.3V150mA Duplex-Diode and High-Mu Triode 6T47-pin Miniature T5-1/2 7DK6.3V225mA Low-Mu TriodeVHF Oscillator 6T767-pin Octal ST-12 7V6.3V150mA Duplex-Diode and High-Mu Triode 6T8 , 6T8A 9-pin Miniature T6-1/29E 6.3V450mA Triple Diode ja High-Mu Triode Klamber või detektor; Pinge võimendi 6T1012-pin Compactionr T-9 12EZ6.3V950mA Double erinevad PentodeAudio väljund ja FM detektor 6U4GT5-pin kaheksanurkne T-9 4CC6.3V1.2A DiodeDampner 6U56-prong T-9 6R6.3V3 00mA Electron-Ray Toru w/ Remote-Cutoff Triode Unintidicator 6UG677-pin kaheksanurkne T-9 7AC6.3V750mA Tala võimsus võimendi väljund 6UG77-pin kaheksanurkne ST-12 7R6.3V300mA Triple-Grid Super-Control võimendi 6Ü8, 6Ü8A/6KD8/6AX89-pin Miniature T6-1/2 9AE6.3V450mA Medium-Mu Triode ja Sharp-Cutoff Pentode Horisontaalne Ostsillaator ja reaktors Toru või VHF ostsillaator ja mikser 6U9/ECCF2010-pin Miniature T6-1/210K 6.3V410mA Triode ja PentodeIF võimendi (P); Sync Separator or Oscillator (T) 6U1012-pin Compactionr T-9 12FE6.3V800mA Two Medium-Mu Triodes and one High-Mu TriodeGeneral-Purpose Amplifier 6V3, 6V3A9-pin Miniature T6-1/2 9BD6.3V1.75A Diode (H-K)Dampner 6V6, 6V6G, 6V6GT, 6V6GTAt6- or 7-pin Octal T-9 7AC6.3V450mA Beam Power PentodeAudio Power Amplifier or Vertical Deflection Amplifier 6V7-G7-pin Octal ST-12 7V6.3V300mA Duplex-Diode and Triode 6V89-pin Miniature T6-1/2 9AH6.3V450mA Triple-Diode and High-Mu Triode 6W4GT, 6W4GTAt5-pin Octal T-9 4CC6.3V1.2A Diode (H-K)Dampner 6W6GT/6DG6GT 6- or 7-pin Octal T-9TAC 6.3V1.2A Beam Power PentodeAudio Power Amplifier or Vertical Deflection Amplifier 6V767-pin Octal ST-12 7R6.3V150mA Triple-Grid Detector Amplifier 6X4E/Z90, 6X4W, 6X4WS 7-pin Miniature T5-1/25B5 6.3V600mA Twin Diode (H-K)Full-Wave Power Rectifier 6X5, 6X5G, 6X5GT, 6X5WGT 6-pin Octal T-9G5 6.3V600mA Twin Diode (H-K)Full-Wave Power Rectifier 6X8 , 6X8A9-pin Miniature T6-1/2 9AK6.3V450mA Medium-Mu Triode ja Sharp-Cutoff PentodeVHF Ostsillaator ja Mixer 6X9/ECCF20010-pin Miniature T6-1/210K 6.3V410mA Triode ja Pentode Sound IF või Video võimendi (P); Sync eraldaja, AGC võheli IF (T) 6Y56-prong ST-12 6J6.3V800mA Full-Wave Vaakum Rectifier (uendamise tüüp maast vastuvõidud) 6Y6G, 6Y6GT7-battery 6Y6GT7-pin T-12 7AC6.3V1.25A Beam Power PentodeAudio Power Amplifier 6Y7Octal ST-12 8B6.3V600mA Twin-Triode Amplifier 6Y9/EF20010-pin Miniature T6-1/210L 6.3V800mA Double Dissimilar Pentode Video Amplifier, Sound IF, AGC Amplifier, Sync Separator 6Y1012-pin Compactionr T-9 12EZ6.3V800mA Dual Pentode 6Z56-prong ST-12 5K12 6V/6.3V400mA/800mA Full-Wave High-Vacuum Rectifier(Renewal type for Majestic receivers) 6Z7GOctal ST-12 8B6.3V300mA Class B Twin Amplifier 6Z1012-pin Compactionr T-9 12BT6.6.3V950mA Gated-Beam Discriminatory 6ZY5G6-pin Octal ST-12 6S6.3V300mA Full-Wave High-Vacuum Rectifier 7A27-prong 4.0V1.2A Power PentodeAF Output 7A37-prong 4.0V2.0A Power Pentode 7A4Octal T-9 5AC6.3V300mA Detector Amplifier Triode 7A5Octal T-9 6AA6.3V750mA Beam Power Amplifier 7A6Octal T-9 7AJ6.3V150mA Twin Diode 7A7Octal T-9 8V6.3V300mA Remote-Cutoff PentodeRF or IF Amplifier 7A8Octal T-9 8Ü6.3V150mA Octode Converter 7AB7/1204Octal T-9 7.0V160mA Sharp-Cutoff High-Frequency RF Pentode 7AD7Octal T-9 8V6.3V600mA Power Pentode 7AF7Octal T-9 8AC6.3V300mA Medium-Mu Twin Triode 7AG7Octal T-9 8V6.3V150mA Sharp-Cutoff Pentode 7AH7Octal T-9 8V6.3V150mA Remote-Cutoff Pentode 7AK7Octal T-9 8V6.3V800mA Sharp-Cutoff PentodeComputer Service 7AU79-pin Miniature T6-1/2 9A3.5V/0.0V600mA/300mA Double Medium-Mu Triode Vertical or Horizontal Deflection Oscillator and Amplifier 7B4Octal T-9 8A6.3V300mA High-Mu Triode(see 6SFS) 7B5Octal T-9 6AE6.3V400mA Power Pentode(see 6KGT) 7B6Octal T-9 8V6.3V300mA Twin Diode and High-Mu Triode 7B7Octal T-9 8V6.3V150mA Remote-Cutoff Pentode 7B8Octal T-9 8K6.3V300mA Pentagrid Converter(see 6A8) 7C24 12.6V29A Power TriodeForced-Air Cooled 7C5Octal T-9 6AA6.3V450mA Beam Power Amplifier(see 6V6) 7C6Octal T-9 8W6.3V150mA Duplex-Diode and High-Mu Triode(see 6B7) 7C7Octal T-9 8V6.3V150mA Triple-Grid Detector Amplifier 7D37-prong 40V200mA Power Pentode 7D67-prong 40V200mA Power Pentode 7D87-prong 13V650mA Power Pentode 7DJ89-pin Miniature T6-1/2 9AJ7.0V300mA Double TriodeVHF Cascode Amplifier 7E5Octal T-98BNL-O 7.0V160mAHF Triode 7E6Octal T-9 8W7.0V320mA DuoDiode and Medium-Mu Triode(equivalent to 6SR7GT) 7E7Octal T-9 8AE6.3V300mA Twin Diode and Remote-Cutoff Pentode 7EY6 9A 7.2V600mA 7F7Octal T-98AC 6.3V300mAHigh-Mu Twin Triode 7F8, 7F8WOctal T-98B 6.3V300mAMedium-Mu Twin Triode 7F7C9-pin Miniature T6-1/2 9DD7.2V300mA Frame Grid TriodeVHF Cascode Amplifier 7G7Octal T-98V 6.3V450mASharp-Cutoff Pentode 7G8/1206Octal T-9 0.7V320mA Sharp-Cutoff Double Tetrode 7H7Octal T-98V 6.3V300mA Remote-Cutoff Pentode 7HG8/PCF869-pin Miniature T6-1/2 9MP7.2V300mA Medium-Mu Triode and Sharp-Cutoff PentodeVHF Oscillator and Mixer 7J7Octal T-9 8BL6.3V300mA Triode-Heptode Converter 7K7Octal T-9 8BF6.3V300mA Twin-diod ja High-Mu Triode 7KY69-pin Miniature T6-1/2 9GK7.3V450 mA teravad äralõigatud pentodeVideo väljund võimendi 7KZ69-pin Miniature T6-1/2 9GK7.3V450mA teravad äralõigatud pentodeVideo väljund võimendi 7L7Octal T-98V Pentode Pentode T-98AC 7.0V640mA Medium-Mu Duotriode(equivalent to 6SN7GT) 7Q7Octal T-98AL 6.3V300mAPentagrid Converter 7R4V Octal T-9 6.3V300mA Double-Diode and Semi-Remote-Cutoff Pentode 7S7Octal T-9 9BL6.3V300mA Triode-Heptode Converter 7V7Octal T-98V 6.3V450mASharp-Cutoff Pentode 7X6Octal T-97AJ 6.3V1.2A Double-Diode 7X7Octal T-9 8BZ6.3V300mA Double Diode and High-Mu Triode 7Y4Octal T-9 5AB6.3V500mA Full-Wave Vacuum Rectifier 7Z4Octal T-9 5AB6.3V900mA Full-Wave Vacuum Rectifier 7Z4Octal T-9 5AB6.3V900mA Full-Wave Vacuum Rectifier 8A1 4.0V1.0A Pentode 8A89-pin Miniature T6-1/2 9DC8.4V300mA Triode and PentodeVHF Oscillator and Mixer 8AC912-pin Compactionr T-9 12GN8.4V450mA General Purpose Pentode, Double DiodeIF Amplifier, Phase Detector 8AC1012-pin Compactionr T-9 12FE8.4V450mA Medium Mu Triple TriodeColor Matrix Amplifier 8AL912-pin Compactionr T-9 12HE8.6V600mA High-Mu Triode and Sharp Cutoff Pentode General Purpose Amplifier (T) and Video Amplifier (P) 8AR1112-pin Compactionr T-9 12DM8.4V600mA Twin PentodeIF Amplifier 8AU8, 8AU8A9-pin Miniature T6-1/2 9DX8.4V450mA Medium-Mu Triode and Sharp-Cutoff Pentode Sync Separator (T) and Video Amplifier 8AW8A9-pin Miniature T6-1/2 9DX8.4V450mA High-Mu Triode and Sharp-Cutoff Pentode Sync Separator (T) , video võimendi (P) 8B89-pin Miniature T6-1/2 9EX8V 600mA Triode and Pentode Ostsillaator (T); Audio Power Võimendi (P) 8B1012-pin Compactionr T-9 12BFR.5V450mA Double diode and keskmise-Mu Twin Triode horisontaalne faasidetektor (D) horisontaalne ostsillaator (T) 8BA8, 8BA8A9-pin Miniature T6-1/2 9DX8.4V450mA keskmise mu triode ja terav äralõigatud pentode sync eraldaja / Clipper (T) Video võimendi (P) 8BA1112-pin Compactionr T-9 12ER8.4V45 0mA Medium-Mu Triode ja Twin Pentode vertikaalne läpäinde Ostsillaator (T) Sync/AGC võimendi (P) 8BH89-pin Miniature

